



Motor Specification: 60V-215-30H-1.8-550R 26 Pole Pairs 48 Slots

Rated Power & Size: 1000W 10 Inch

Controller Specification: Bus Current 32A Phase Current 115A



48V Status

Speed: 30-32

60V Status

Speed: 39-41

72V Status

Speed: 44-46



**Motor Specification : 60V-215-30H-2.3-550R 26 Pole Pairs
48 Slots**

Rated Power & Size : 1200W 10 Inch

**Controller Specification : Bus Current 32A Phase Current
115A**



48V Status

Speed: 32-34

60V Status

Speed: 41-43

72V Status

Speed: 46-48



**Motor Specification : 72V-215-35H-2.3-730R 26 Pole Pairs
48 Slots**

Rated Power & Size: 1500W 10 Inch

**Controller Specification : Bus current 40A Phase
Current 140A**



60V Status

Speed: 43-45



72V Status

Speed: 53-55



+ Motor Specification : 72V-215-40H-2.3-850R 25 Pole
Pairs 45 slots

Rated Power & Size: 2000W 10Inch

Controller Specification: Bus Current 50A Phase
+ Current 165A



60V Status
Speed: 50-53



72V Status
Speed: 62-65



**+ Motor Specification : 72V-260-30H-2.5-700R 30 Pole Pairs
54 Slots**

Rated Power & Size: 2000W 12 Inch

**Controller Specification : Bus Current 40A Phase
+ Current 165A** +



60V Status

Speed: 48-52



72V Status

Speed: 60-65



Motor Specification : 60V-260-35H-2.3-730R 28 Pole Pairs 63 Slots

Rated Power & Size : 2300W 12 Inch

Controller Specification : Bus Current 55A Phase Current 200A



60V Status

Speed: 55-60

72V Status

Speed: 60-65



**Motor Specification : 72V-260-35H-2.5-900R 30 Pole Pairs
54 Slots**

Rated Power & Size : 2500W 12Inch

**Controller Specification : Bus Current 60A Phase Current
250A**



60V Status

Speed: 60-63



72V Status

Speed: 70-73